

way

W W W

euroluce
— LIGHT OF ITALY —



















Finitura: RAL Nero opaco , RAL oro satinato. Altre finiture su richiesta.

Colori: pendenti losanghe molate nel colore trasparente o decorate nel colore ottanio, fumè o vintage. Altri colori su richiesta.

Particolari: strutture in metallo realizzate artigianalmente su nostro disegno. Pendenti losanghe molate in cristallo Scholer.

*Per qualsiasi richiesta o differente versione non esitate a contattarci.

Finish: RAL matt black , RAL satin gold. Other finishes on request

Colors: cut rectangular pendants in transparent color or decorated in teal blue color, fumè color or vintage color. Other colors on request.

Details: metal structures are produced handmade on our drawing. Cut rectangular pendants by Scholer crystal .

*Do not hesitate to contact us for any request or different version.

Aggancio con tiranti per sospensioni (C)
Hook with metal cables for suspension (C)

L'altezza delle sospensioni è calcolata escludendo l'aggancio.

Aggancio con rosone e tiranti H minima 24 cm - 9.44".

The height of suspensions is calculated by excluding the hook.

Hook with the ceiling cup and metal cables has the minimum height 24 cm - 9.44".


Aggancio con tiranti e tasselli a soffitto (F)

Hook with the metal cables and the fischer wall plug to the ceiling (F)


L'altezza delle sospensioni è calcolata escludendo l'aggancio. Aggancio con rosone e tiranti con tasselli a soffitto H minima 24 cm - 9.44".

The height of suspensions is calculated by excluding the hook. Hook with the ceiling



cup and metal cables with the fischer wall plug to the ceiling has the minimum height 24 cm - 9.44".



Aggancio C
Hook C



Aggancio F
Hook F






90

strip led - 4000 K°
24 Vdc - 60W - 5900lm
Ø 90 cm - 35.43"
H 13 cm - 5.12"

80

strip led - 4000 K°
24 Vdc - 48W - 4900lm
Ø 80 cm - 31.50"
H 13 cm - 5.12"



70













strip led - 4000 K°
24 Vdc - 44W - 4400lm
Ø 70 cm - 27.56"
H 13 cm - 5.12"

60

strip led - 4000 K°
24 Vdc - 38W - 3900lm
Ø 60 cm - 23.62"
H 13 cm - 5.12"

50

strip led - 4000 K°
24 Vdc - 31W - 3100lm
Ø 50 cm - 19.69"
H 13 cm - 5.12"

			
<p>40  strip led - 4000 K° 24 Vdc - 25W - 2510lm Ø 40 cm - 15.75" H 13 cm - 5.12"</p>	<p>30  strip led - 4000 K° 24 Vdc - 19W - 1880lm Ø 30 cm - 11.81" H 13 cm - 5.12"</p>	<p>10  strip led - 4000 K° 24 Vdc - 6W - 628lm Ø 10 cm - 3.94" H 13 cm - 5.12"</p>	<p>WALL LAMP  strip led - 4000 K° 24 Vdc - 10W - 900lm LxW 30cm x 18 cm - 11.81" x 7.09" H 13 cm - 5.12"</p>
			
<p>CURVE  strip led - 4000 K° 24 Vdc - 68W - 6800lm LxW 160cm x 23 cm - 62.99" x 9.06" H 13 cm - 5.12"</p>	<p>SPOTLIGHT  strip led - 4000 K° 24 Vdc - 6W - 628lm Ø 10 cm - 3.94" H 13 cm - 5.12"</p>		

euroluce

— LIGHT OF ITALY —

76123 Andria (Bt) Italy
t +39 0883 559385
www.eurolucelampadari.it
info@eurolucelampadari.it
export@eurolucelampadari.it

Euroluce_light of Italy
is a registered trademarks.